

OpenAttestation Installation Guide

Version: 1.5

October 2012

Contents

1	Supported systems	4
2	Background	5
	2.1 Setup environments	5
	2.2 Note	5
3	Attestation Server Installation	6
	3.1 Install Fedora or Ubuntu	6
	3.2 Disable server Firewall and SELINUX	6
	3.2.1 For fedora.....	6
	3.2.2 For ubuntu.....	6
	3.2.3 For SLES	6
	3.3 Install required modules	6
	3.3.1 For fedora.....	6
	3.3.2 For ubuntu.....	7
	3.3.3 For SLES	7
	3.4 Install Attestation Server Package.....	8
	3.4.1 For fedora.....	8
	3.4.2 For ubuntu.....	8
	3.4.3 For SLES	8
	3.5 Verify the installation	8
4	Attestation Client Installation	9
	4.1 Prerequisite.....	9
	4.2 Enable TPM in BIOS and Install OS.....	9
	4.3 Install modules according to your OS	9
	4.3.1 For Fedora 16, install modules	9
	4.3.2 For RHEL 6.1, install modules.....	9
	4.3.3 For Ubuntu 12.10, install modules	9
	4.3.4 For OpenSuse 12.1 and SLES 11, install modules	10

	4.3.5	Download Open Attestation Client Installation Package.....	10
	4.3.6	Unzip Open Attestation Client Installation package to your local disk	10
	4.3.7	Run general-install.sh to install the package	10
	4.3.8	Restart OS or start client program manually	10
	4.3.9	Verify the report.....	10
5		Database Tuning	11
	5.1	Appraiser Web Service next action checking interval configuration	11
6		Attestation Property files explanation	12
	6.1	Appraiser Configuration	12
	6.2	Client Provisioning Configuration.....	12
	6.3	Client application configuration	13
7		Example of creating White List	14
	7.1	Retrieve specific PCR values from portal	14
	7.2	Create White List entry via OpenAttestation API or Command Tool.....	14

1 Supported systems

Following environments have been verified to run OpenAttestation project

Servers:

Fedora16/17

Ubuntu12.10/12.04

Suse Enterprise Linux Server 11 SP2

Hosts/Clients:

Ubuntu12.10/12.04

OpenSuse11.4, OpenSuse12.1

OpenSuse12.1 + tboot + Xen

SLES11 SP2

RHEL6.1/6.3

Fedora/16/17

2 *Background*

2.1 Setup environments

To setup the Attestation environment, 2 systems are required:

- Fedora, RHEL6.x, SLES or Ubuntu12.10 Linux system served as Attestation Server. We use Fedora, Ubuntu 12.10 and SLES 11 as example in the document
- Fedora, RHEL, Ubuntu, OpenSuse, SLES Linux system with TPM enabled as Client/Host system to be verified. We use Fedora 17 as example in the document

2.2 Note

- <server.domain> in this guide means the host name of Attestation Server
- Setup systems with full domain names, for example, OpenAttestation.TrustedPool.com

3 *Attestation Server Installation*

Attestation Server Installation is verified on Fedora 17 and Ubuntu 12.10

3.1 Install Fedora or Ubuntu

3.2 Disable server Firewall and SELINUX

3.2.1 For fedora

- System->Administration->Firewall click on "Disable" in GUI
- System->Administration->SELinux Administration to "Disable" SELINUX in GUI

3.2.2 For ubuntu

- Typing "ufw disable" in command

3.2.3 For SLES

- Typing "SuSEfirewall off" in command

3.3 Install required modules

3.3.1 For fedora

```
yum -y install httpd
```

```
yum -y install mysql mysql-server
```

* Notes: Just press ENTER button when you are asked to enter password.

* Note 2: if you have installed mysql server with password, you should

* remove password firstly.

```
yum -y install php php-mysql
```

```
yum -y install openssl
```

```
yum -y install java-1.7.0-openjdk.x86_64
```

3.3.2 For ubuntu

```
apt-get install apache2
```

```
apt-get install mysql-client mysql-server mysql-common
```

* Notes: Just press ENTER button when you are asked to enter password

* Note 2: if you have installed mysql server with password, you should

* remove password firstly.

```
apt-get install php5 php5-mysql
```

```
apt-get install openssl
```

```
apt-get install openjdk-6-jdk
```

3.3.3 For SLES

```
zypper install apache2 apache2-mod_php5
```

```
zypper install mysql
```

* Notes: Just press ENTER button when you are asked to enter password

* Note 2: if you have installed mysql server with password, you should

* remove password firstly.

```
zypper install java-1_6_0-openjdk
```

```
zypper install openssl
```

```
zypper install php5 php5-mysql
```

3.4 Install Attestation Server Package

3.4.1 For fedora

- Find previous installed Attestation Server package
 - `rpm -q OAT-Appraiser-Base-OATapp`
- Remove previous installed Attestation Server package
 - `rpm -e OAT-Appraiser-Base-OATapp`
- Install new Attestation Server package
 - `rpm -hiv OAT-Appraiser-Base-OATapp-1.0.0-2.fc14.x86_64.rpm`

3.4.2 For ubuntu

- Find previous installed Attestation Server package
 - `dpkg -L oat-appraiser-base-oatapp`
- Remove previous installed Attestation Server package
 - `dpkg -P oat-appraiser-base-oatapp`
- Install new Attestation Server package
 - `dpkg -i OAT-Appraiser-Base-OATapp-1.0.0-2.ubuntu.x86_64.deb`

3.4.3 For SLES

- Find previous installed Attestation Server package
 - `rpm -qa OAT-Appraiser-Base-OATapp`
- Remove previous installed Attestation Server package
 - `rpm -e OAT-Appraiser-Base-OATapp`
- Install new Attestation Server package
 - `rpm -ivh OAT-Appraiser-Base-OATapp-1.0.1-2.x86_64.rpm`

3.5 Verify the installation

- Access <http://<server.domain>/OAT/> in Browser

4 *Attestation Client Installation*

4.1 Prerequisite

Client system must have TPM 1.2 compliant device with driver installed, and TPM/TXT enabled in BIOS to perform the operation

Perform OpenAttestation package installation with ROOT super user mode

4.2 Enable TPM in BIOS and Install OS

4.3 Install modules according to your OS

4.3.1 For Fedora 16, install modules

- trousers-devel
- java-1.6.0-openjdk
- and make sure the TrouSers service is started:
 service tcsc restart

4.3.2 For RHEL 6.1, install modules

We recommend to install these package from RHEL 6.1 CD for your convenience

- trousers
- java-1.6.0-openjdk
- and make sure the TrouSers service is started:
 service tcsc restart

4.3.3 For Ubuntu 12.10, install modules

- trousers
- libtspi1
- openjdk-6-jre

- and edit trousers daemon scripts by:

```
sed -i 's/--chuid \${USER}\/g' /etc/init.d/trousers
```

- then restart trousers daemon:

```
service trousers restart
```

4.3.4 For OpenSuse 12.1 and SLES 11, install modules

- trousers
- libtspi1
- java-1.6.0-openjdk or java-1.6.0-ibm
- and make sure the TrouSers service is started:

```
service tcscd restart
```

4.3.5 Download Open Attestation Client Installation Package

- via <http://<server.domain>/ClientInstaller.html> in browser
- Download the client package by clicking 'Client Installation Files For Linux'

4.3.6 Unzip Open Attestation Client Installation package to your local disk

4.3.7 Run general-install.sh to install the package

```
sh general-install.sh -ecs NVRAM
```

-ecs with FILE/NVRAM is the EC storage option and is optional. If the option is FILE, the client will store EC in file system. If the option is NVRAM, the client will store EC in NVRAM. It stores EC in NVRAM by default.

4.3.8 Restart OS or start client program manually

via `"/etc/init.d/OATClient.sh start"`

4.3.9 Verify the report

via <http://<server.domain>/OAT/reports.php>

5 *Database Tuning*

5.1 Appraiser Web Service next action checking interval configuration

- Get database connection username via connection.username in /usr/lib/apache-tomcat-6.0.29/conf/context.xml
- Get database connection password via connection.password in /usr/lib/apache-tomcat-6.0.29/conf/context.xml
- Enter mysql command management via command
mysql -u<database username in step 1>
- Enter password <database password in step 2>
- Use Attestation database
mysql> use oat_db;
- Show current next action checking interval
mysql> select * from system_constants;
- Modify next action checking interval to 20 seconds
mysql> update system_constants set value='20000';

6 *Attestation Property files explanation*

6.1 Appraiser Configuration

- Query API configurations in /etc/oat-appraiser/OpenAttestation.properties
 - Set default attest interval
default_attest_interval=60000
 - Set default attest timeout
default_attest_timeout=60000
 - Set truststore path
TrustStore=/usr/lib/apache-tomcat-6.0.29/Certificate/TrustStore.jks
- Query API configurations in /etc/oat-appraiser/OpenAttestationWebServices.properties
 - Tunable value in appraiser. Decrease the value may reduce attest response time. Increase the value may reduce the loop overhead.
check_attest_interval=2000

6.2 Client Provisioning Configuration

- Client provisioning in
~/Downloads/ClientInstallForLinux/OATprovisioner.properties
 - Privacy CA certificate file
PrivacyCaCertFile = PrivacyCA.cer
 - Privacy CA web service URL
PrivacyCaUrl = https://<server.domain>:8443/HisPrivacyCAWebServices2
 - Appraiser web service URL
HisRegistrationUrl = https://<server.domain>:8443/HisWebServices
 - Client Trust Store file
TrustStore = TrustStore.jks
 - Client installation path

ClientPath = /OAT

- Client provisioning in ~/Downloads/ClientInstallForLinux/TPModule.properties
 - TPM tool executable file name
ExeName = NIARL_TPM_Module
 - Trousers Mode
TrousersMode = True
 - Debug Mode
DebugMode = False

6.3 Client application configuration

- /OAT/OAT.properties
 - Appraiser Web Service URL
WebServiceUrl=https://<server.domain>:8443/HisWebServices
 - TrustStore file
TrustStore=TrustStore.jks

7 *Example of creating White List*

7.1 Retrieve specific PCR values from portal

- Open portal at <http://<server.domain>/OAT/pcrs.php>
- Copy specific PCR value, for example, PRC 5 value
"B45D33B7312EFA9A1D8E223640B5F37215CC801E"

7.2 Create White List entry via OpenAttestation API or Command Tool

- Refer to API document Overview.pdf and the command tools README in CommandTool/ folder on Github source tree.